

SPEC NO.: D100-181119

# **Specification**

TO:STE508

Model Name: Crystal Unit

PART NO: TA6CS-12.000M-20-20-20

CUSTOMER PART NO.:

# Approval sheet:

	Yes
Approved	No.
Customer's comments are welcomed here.	
Pls return this copy as a certificate of your approval by Email.	
Approved By Date:	

### STRONG ELECTRONICS&TECHNOLOGY LIMITED

Service Hotline:86-755-84528985 Fax: 86-755-84528986 Email:info@strongelectronics.net www.sawfilter.cn



# History Record

Date	Part No.	SPEC No.	Description.	Remarks.
2018-11-17			Initial issue	
		Approved by	Check by	Design by
RoHS Compliant Lead free Lead-free soldering	ISO9001:2000 ISO14001:2004	Nov-17-2018	NOV-17-2018	NOV-17-2018
Reversions	Total Page	Xu gang dong	Liu jun	Wang hon



### 1.RANGE:

This specification shall cover the characteristics of the SMD quartz crystal unit with the type TA6CS-12.000M-20-20-20.


### 2. PART NO.

PART NUMBER	PREVIOUS PART NUMBER
TA6CS-12.000M-20-20-20	
CUSTOMER PART NO	SPECIFICATION NO

### 3. OUTLINE DIMENSIONS AND MARK

- 3.1 Appearance: No visible damage and dirt.
- 3.2 Construction: SMD ceramic packaged.
- 3.3 The products conform to the RoHS directive and national environment protection law.

### 3.4 Dimensions and mark





### 4. ELECTRICAL SPECIFICATIONS

### 4.1 RATING

Items	Requirement
Insulation Resistance (M $\Omega$ ) min.	500 (at DC 100V)
Operating Temperature Range (°C)	-20 ~ 70
Storage Temperature Range (°C)	-40 ~ 85

### 4.2 ELECTRICAL SPECIFICATIONS

Items	Requirement
Nominal Frequency (MHz)	12.000
Frequency Tolerance (ppm)	±20 (at 25°C)
T	±20
Temperature Stability (Ref. To 25°C) (PPM)	(-20℃ ~70℃)
Mode of Oscillation	Fundamental
Shunt Capacitance C <sub>0</sub> (pF) max.	7
Load Capacitance C <sub>L</sub> (pF)	20
Equivalent Series Resistance (Ω) max.	60
Drive Level ( µ W) max.	100
Aging (PPM/year) max.	$\pm 10$ (at 25°C)

### 5. TEST

### 5.1 Test Conditions

Parts shall be tested under the condition ( Temp.:  $20\pm15\,^{\circ}$ C, Humidity :  $65\pm20\%$  R.H.) unless the standard condition(Temp.:  $25\pm2\,^{\circ}$ C, Humidity :  $65\pm5\%$  R.H.) is regulated to measure.



6 PHYSICAL AND ENVIRONMENTAL CHARACTERISTICS

	6 PHYSICAL AND ENVIRONMENTAL CHARACTERISTICS							
No Item		Condition of Test	Performance					
110	100111	Condition of 1450	Requirements					
		Stored in 90% $\sim$ 95% R.H. at 40 $^{\circ}$ C $\pm$ 2 $^{\circ}$ C	It shall fulfill the					
6.1	Humidity Test	for 500h,and left at room temperature for	specifications in					
		1h before measurement.	Table 1.					
6.2	High Temp.	Stored in $85 \pm 2 ^{\circ}\text{C}$ for 500h, and left at	It shall fulfill the					
0.2	Storage Temp.	room temperature for 1h before	specifications in					
	Storage	measurement	Table 1.					
	Low Temp.	Stored in $-40 \pm 2$ °C for 500h, and left at	It shall fulfill the					
6.3	Storage Temp.	room temperature for 1h before	specifications in					
	Storage	measurement.	Table 1.					
		Subject the Crystal Unit to $-25 ^{\circ}\text{C}$ for 30						
	Temperature	min. followed by a high temperature of 85°C	It shall fulfill the					
6.4	Cycling	for 30 min. Cycling shall be repeated 5	specifications in					
	Cycling	times, and left at room temperature for 1h	Table 1.					
		before measurement.						
		Apply the vibration of sweep frequency	It shall fulfill the					
6.5	Vibration Test	(10 $\sim$ 55)Hz/min,amplitude 0.75mm,	specifications in					
		duration 30 min in each direction of 3 planes	Table 1.					
			No visible damage					
6.6	Drop Test	Free drop to the wooden plate from 0.75m	and it shall fulfill					
		height for 2 times.	Table 1.					
		Passed through the reflow oven under the						
		following condition, and left at room temperature						
		for 1 hour before measurement.						
		Peak: 260°C max 250°C						
	Resistance to	230℃	It shall fulfill the					
6.7	Soldering Heat		specifications in					
	Soldering Treat	150°C	Table 1.					
		100 °C Pre-heating						
		within within 30s min 80-120s. 20-40s						



# 6 PHYSICAL AND ENVIRONMENTAL CHARACTERISTICS(To be continued)

6.8	Solder ability	Dipped in $235^{\circ}\text{C} \pm 5^{\circ}\text{C}$ solder bath for $3s \pm 0.5s$ with rosin flux (25wt% ethanol solution).	
6.9	Terminal Strength And board Bending	Mount on a glass-epoxy board (100mm×50mm ×1.6mm),then bend it to 1mm diaplacement and keep it for 5s.(See the following figure)  Press Head Crystal Unit	No visible damage and it shall fulfill the specifications in Table 1.


Table 1

Item	Specification after test
Frequency Tolerance at 25°C(ppm)	±50
Equivalent Series Resistance( Ω )max	120




# 7 RECOMMENDED LAND PATTERN AND REFLOW SOLDERING STANDARD CONDITIONS

# 7.1 Recommended land pattern



# 7.2 Recommended reflow soldering standard conditions






### 8. PACKAGE

To protect the products in storage and transportation, it is necessary to pack them (outer and inner package).

8.1 On paper pack, the following requirements are requested.

### 8.1.1 Dimensions and Mark



NO.	Name	Quantity
1	Package	1
2	Inner Box	12
3	Belt	2.9 m
4	Adhesive tape	1.2 m
(5)	Label	1
6	Certificate of approval	1
7	Company name ,Address etc.	

### 8.1.2 Section of package

Package is made of corrugated paper with thickness of 0.8cm.Package has 12 inner boxes, each box has 4 reels (each reel for plastic bag).



# 8.1.3 Quantity of package


Per plastic reel 1000 pieces of SMD part

Per inner box 4 reels

Per package 12 inner boxes

(48000 pieces of SMD quartz crystal unit)


### 8.1.4 Inner Box Dimensions



NO.	Name	Quantity
1	Inner Box	1
2	QC Label	1
3	Label	1

8.2 On reel pack, the following requirements are requested.


### 8.2.1 Reel




	ΦА	W	T	Pieces per reel	Carrier tape size
18	$0\pm3$	16.4min	22.4max	1000typ.	16



# 8.2.3 Packing Method Sketch Map



# 8.2.4Test Condition Of Peeling Strength



### 9. EIAJ Monthly Code

2011/2013/2015/2017		2010/2012/2014/2016	
MONTH	CODE	MONTH	CODE
JAN	A	JAN	N
FEB	В	FEB	P
MAR	С	MAR	Q
APR	D	APR	R
MAY	Е	MAY	S
JUN	F	JUN	T
JUL	G	JUL	U
AUG	Н	AUG	V
SEP	J	SEP	W
OCT	K	OCT	X
NOV	L	NOV	Y
DEC	M	DEC	Z



### 10. OTHER

- 10.1 Caution
- 10.1.1 Don't apply excess mechanical stress to the component and terminals at soldering. Do not use this product with bend.
- 10.1.2 Do not use strong acidity flux, more than 0.2wt% chlorine content, in flow soldering.
- 10.1.3 Don't be close to fire.
- 10.1.4 This specification mentions the quality of the component as a single unit. Please insure the component is thoroughly evaluated in your application circuit
- 10.1.5 Expire date (Shelf life) of the products is six months after delivery under the conditions of a sealed and an unopened package. Please use the products within six months after delivery. If you store the products for a long time (more than six months), use carefully because the products may be degraded in the solder ability or rusty. Please confirm solder ability and characteristics for the products regularly.
- 10.1.6 Please contact us before using the product as automobile electronic component.
- 10.2 Notice
- 10.2.1 Please return one of this specification after your signature of acceptance.
- 10.2.2 When something gets doubtful with this specifications, we shall jointly work to get an agreement.

© Copyright 2019 StrongFirst, All Rights Reserved